

Installation Guide

v1.2

www.paigeelectric.com/grounding




Paige Electric Co, LP
1160 Springfield Road Union, NJ 07083
800.327.2443



1

Paige grounding systems alert you the moment your grounding wire has been compromised. By creating a closed circuit between points above and below grade on the grounding cable, the system can immediately identify when the grounding wire has been removed from the pole. These instructions will guide you through the installation of the equipment and the setup of the alerting system via the xProxy app.




Connect Long Wire to Underground Portion of Ground Wire with split bolt



Split Bolts

Connect Short Wire to top of Ground Wire with split bolt

2 Download the free xProxy app for your iPhone or Android device (use your phone's QR code scanner to go directly to the download page).



Create your account.

Put in your device Serial No. included with device.

Put in your email address.

Put in your password.

Select "Save Password"

Select or not "Auto Login"

If not selected then press "Login"



Serial Number

3 To create your account please fill in the required information including the products serial number, your email and password. You can choose (optional) to keep your password saved or be logged in automatically if you like.




Step 3 (combined with step 4) "Select Edit and give your device a name. Be sure to choose something that includes a complete description about the asset being protected and it's location. (i.e. Pole #12345 on Eastbound Highway 66) Next, create the message you would like to be delivered when the device detects copper theft. (i.e.

Possible grounding wire theft!) Next, choose how you'd like to be notified (email, text message, and/or push notification.) Each type of notification can be turned on (slide to the right) or off (slide to the left.) When finished, select Done.


Step 5: (now called Step 4) Your grounding system is now armed and ready. If you should ever choose to suspend all notifications (for example if the pole is being serviced) you can do that from the "Device Screen." You are now able to close out of the app and go on with your day!

4 Your device is armed and ready. You may return to your iPhone or Android phone home screen



or log out and then return to you phone's home screen as your device will send you your alerts now automatically.

In the "Device Screen" you can suspend All Notifications should the device be out of service for some reason.



PAIGE ASSET MONITOR WIRELESS
4 X 3 X 1-1/2" ANTI-THEFT
DEVICE.
10 FT. HEIGHT RECOMMENDED.

VERTICAL POLE

CONNECT DEVICE HERE & HERE-
GROUND WIRE CUT BETWEEN WIRES
ACTIVATES WIRELESS NOTIFICATION

GROUND WIRE

GRADE LEVEL

Features:

LEDs to indicate device state.

NEMA 4 Enclosure.

Flanges for easy mounting.

Tamper proof cover screws.

Physical Dimensions:

H x W x L = 3" x 2.75" x 1.5"

Mounting Flange Height = 0.5"

Yellow Conductor lengths = 8" & 12 ft.

Yellow Conductor Wires #22 AWG 105°C rated &
#14 AWG THHN/THWN stranded Copper 90°C